

# Casoprano®

*Provide a wide selection of pre-formed surface designs and textures which allow the creation of outstanding ceiling art structures.*

**Casoprano® ceiling tiles are practical for commercial use while incorporating a high level of aesthetics. They are manufactured to the highest standards of quality in accordance with international manufacturing standards.**

**Casoprano® is further enhanced aesthetically compared to our standard gypsum plasterboard series (TopLine® and BaseLine®).**


## CHARACTERISTICS

Casoprano® ceiling tiles come pre-painted with high-quality paint and are available in three different patterns and textures: CasoROC, CasoSAND, and CasoROSE.

## RECOMMENDED USE

Suitable for use in grid ceiling applications.

## PRODUCT FORMAT

Thickness	9mm	12.5mm
Nominal Weight	5.25kg/m <sup>2</sup>	7.60kg/m <sup>2</sup>
Nominal Sheet Size	595mm x 595mm, 595mm x 1195mm 603mm x 603mm, 603mm x 1213mm	
Edge Type	Square Edge 	

## FIRE RATING

- Low fire propagation in accordance to BS 476: Part 6
- Class 1 surface spread of flame in accordance to BS 476: Part 7
- Classified as Class 0 material in accordance to BS 476: Part 6 & 7

## MANUFACTURING SPECIFICATIONS

- In compliance with ASTM C1396M and BS EN 520

## AESTHETIC PROPERTIES

- Crack-free
- Easily decorated with paint
- Seamless and smooth finishing

## HANDLING AND WORKABILITY

- Lightweight
- Quick and easy installation
- Highly flexible in creating the highest standards of design

## HEALTH AND ENVIRONMENTAL CONTRIBUTIONS

- Made from 100% natural gypsum
- Recyclable material, environmentally friendly
- Does not produce toxic fumes or hazardous substances that are harmful to health

## QUALITY ASSURANCE

- Product is manufactured in a facility certified to ISO 14001, ISO 45001, ISO 9001



EASY TO  
TRANSPORT



ENERGY  
EFFICIENCY



ECO  
FRIENDLY



PRODUCTIVITY  
GAIN



STABILITY



RECYCLING  
CERTIFIED



SMOOTH  
MANUAL FINISH



INSPIRING  
SPACES



AESTHETIC  
& DESIGN




## Gyproc Grid Ceiling System

A lay-in grid system based on lightweight gypsum plasterboard and metal frame. It utilizes gypsum ceiling tiles for the perfect finish and combines durability with a unique aesthetic look through various ceiling tile designs. The system is perfect for regular ceiling types and suitable for all pre-cut plasterboards.


### Gyproc Grid Ceiling 600mm x 600mm

Parameters	Values
Overall System Weight	8.50kg/m <sup>2</sup>
Maximum Ceiling Span (mm)	Unlimited
Fire Performance (Board)	Class O




### Gyproc Grid Ceiling 600mm x 1200mm


Parameters	Values
Overall System Weight	8.50kg/m <sup>2</sup>
Maximum Ceiling Span (mm)	Unlimited
Fire Performance (Board)	Class O




#### HANGING ANCHORAGE




ANCHORAGE TO SOFFIT - OPTION 1



ANCHORAGE TO SOFFIT - OPTION 2



ANCHORAGE TO HS / PURLIN - OPTION 1



ANCHORAGE TO HS / PURLIN - OPTION 2

**Disclaimer:**  
The images provided are for reference only. Kindly obtain confirmation from Gyproc's Technical Support Personnel before submission of specification for any project. The information in this literature is accurate at the time of publishing. The publisher reserves all rights to revise the product specifications without prior notice. It is the user's responsibility to ensure that the information communicated here is current before use and that the information provided here is for guidance only. Users must ensure that they are fully conversant with the products and systems before specification or installation.



**SAINT-GOBAIN MALAYSIA SDN. BHD.** (636775-T)  
No 1 Jalan Sultan Mohamad 4,  
Kawasan Perindustrian Bandar Sultan Suleiman,  
42000 Port Klang, Selangor D E, Malaysia.  
☎ +603 3169 5588 🖨 +603 3169 5688  
🌐 www.saint-gobain.my



**SAINT-GOBAIN (SINGAPORE) PTE. LTD.**  
2 Venture Drive,  
#13-18 Vision Exchange,  
Singapore 608526.  
☎ +65 6330 8288 🖨 +65 6330 8289  
🌐 www.saint-gobain.sg

