



SIRIM QAS INTERNATIONAL SDN. BHD.

(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-000010
Licence No : ELH0006001

Date : 27/03/2025

SAINT-GOBAIN PRIMA SDN BHD
LOT 127220, KAWASAN PERUSAHAAN KANTHAN
31200 CHEMOR
PERAK, MALAYSIA

Attn : Ms. Fatin

Tel No : 05-2013688

Fax No : 05-2013628

Dear Sir/Madam,

Eco Labelling Licence

Product : FIBRE CEMENT BOARD
Standard : SIRIM ECO 021 : 2010

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Eco-Labelling Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MUHAMAD MUZHAFAR FIKRI BIN ISMAIL
Contact No : 6013-3701815
Email : muzhafar@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN EKO-LABEL

Eco-Label Licence



**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to**

**SAINT-GOBAIN PRIMA SDN BHD
LOT 127220, KAWASAN PERUSAHAAN KANTHAN
31200 CHEMOR
PERAK, MALAYSIA**

**Lesen untuk menggunakan Tanda Eco-Label di atas barangan
a licence to use the Eco-Label Mark on**

FIBRE CEMENT BOARD

Please refer to detail in the SCHEDULE

**sebagai mematuhi keperluan
as complying with**

SIRIM ECO 021 : 2010



Ts. Md. Adha bin Katni @ Rahmat
Pemangku Ketua Pegawai Eksekutif
Acting Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

SAINT-GOBAIN PRIMA SDN BHD



Trade Mark : PRIMABOARD
Model : PRIMAFLEX
Rating : WIDTH (MM) : 1220
LENGTH (MM) : 1220, 2440
THICKNESS (MM) : 3.2, 3.5, 4.5, 6.0, 7.5, 9.0, 12.0, 16.0, 18.0, 20.0, 32.0

Trade Mark : PRIMABOARD
Model : PRIMALINER
Rating : WIDTH (MM) : 1220
LENGTH (MM) : 2440
THICKNESS (MM) : 4.5, 6.0, 7.5, 9.0, 12.0

Trade Mark : PRIMABOARD
Model : PRIMAPLANK
Rating : WIDTH (MM) : 150, 230, 300
LENGTH (MM) : 3660
THICKNESS (MM) : 7.5, 9.0, 12.0, 16.0, 25.0

PESTICIDE FREE, RESTRICTED HAZARDOUS SUBSTANCES,
Eco-Labeling Claim : RENEWABLE RESOURCES, RECYCLED RESOURCES

End of page
