



SIRIM QAS INTERNATIONAL SDN. BHD.

(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-000093
Licence No : LH000601

Date : 02/12/2025

SAINT-GOBAIN PRIMA SDN BHD
LOT 127220
KAWASAN PERUSAHAAN KANTHAN
31200 CHEMOR
PERAK, MALAYSIA

Attn : MS. FATIN AINA MARDIA MOHD PUZI

Tel No : 03-77811977

Fax No : -

Dear Sir/Madam,

Fire Listing Licence

Product : FIBRE-CEMENT FLAT SHEETS
Standard : BS 476 : PART 6 : 1989 + A1 : 2009 BS 476 : PART 7 : 1997

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Fire Listing Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MOHD SHAIFUL AMRY BIN MOHD JAID
Contact No : 6012-6348983
Email : shaiful@sirim.my

Thank you.

This is a computer generated document. No signature is required.

SIJIL BARANGAN TERSENARAI

Product Listing Certificate



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

SAINT-GOBAIN PRIMA SDN BHD
LOT 127220
KAWASAN PERUSAHAAN KANTHAN
31200 CHEMOR
PERAK, MALAYSIA

Sijil untuk menggunakan Tanda Barangan Tersenarai
a certificate to use the Listed Product Mark on

FIBRE-CEMENT FLAT SHEETS

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

BS 476 : PART 6 : 1989 + A1 : 2009
BS 476 : PART 7 : 1997



Ts. Md. Adha bin Katni @ Rahmat
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

SAINT-GOBAIN PRIMA SDN BHD



Trade Mark : PRIMAflex
Rating : Fire Propagation Index, I: 3.3, 1.0, 4.4, 1.2, 2.3,3.2, 0.6, 0.4, 0.4
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 3.2 mm ~ 32 mm
Test Report
No.:2017FE0087,2017FE0088,2017FE0011,2017FE0012,2017FE0091,2017FE0092,2017FE0015,2017FE0016

Trade Mark : PRIMAliner
Rating : Fire Propagation Index, I: 2.5, 1.2, 0.7, 0.9
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 4.5 mm ~ 12 mm
Test Report: 2017FE0013,2017FE0014,2017FE0093,2017FE0094

Trade Mark : PRIMAraya
Rating : Fire Propagation Index, I: 4.9, 3.7
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 3.2mm
Test Report No.:2017FE0083,2017FE0084

Trade Mark : PRIMAFrangipani
Rating : Rating :Fire Propagation Index, I: 8.8
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 3.2mm
Test Report No.: 2017FE0085, 2017FE0086

Trade Mark : PRIMAflex
Rating : Fire Propagation Index, I: 3.2, 0.6, 0.4, 0.5, 0.4, 0.4
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 3.2 mm ~ 32.0 mm
Test Report
No.:2017FE0087,2017FE0088,2017FE0011,2017FE0012,2017FE0091,2017FE0092,2019FE0071,2019FE0072, 2019FE0069, 2019FE0070, 2017FE0015,2017FE0016.

Trade Mark : PRIMAliner
Rating : Fire Propagation Index, I: 0.7, 0.9
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 4.5 mm ~ 12 mm
Test Report: 2017FE0013,2017FE0014,2017FE0093, 2017FE0094

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 10 January 2003

Certified Since

Sah Sehingga : 10 January 2027

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 02 December 2025

Issue Date

No Siri : 120387

Serial No

SCHEDULE

SAINT-GOBAIN PRIMA SDN BHD



SIRIM

Trade Mark : PRIMAraya
Rating : Fire Propagation Index, I: 3.7,
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 3.2 mm
Test Report No.: 2017FE0083 & 2017FE0084

Trade Mark : PRIMAp plank Smooth
Rating : Fire Propagation Index, I: 0.1, 5.3, 2.1, 1.9
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 7.5 mm ~ 16.0 mm
Test Report No.: 2018FE0251, 2018FE0252, 2018FE0260, 2018FE0261, 2018FE0443,
2018FE0444

Trade Mark : PRIMAp plank Smooth Laminated
Rating : Fire Propagation Index, I: 1.9
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 25.0 mm
Test Report: 2018FE0263, 2018FE0266

Trade Mark : PRIMAp plank Woodgrain
Rating : Fire Propagation Index, I: 0.9, 0.1
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 7.5 mm ~ 9.0 mm
Test Report No.: 2018FE0240, 2018FE0241, 2019FE0235, 2018FE0236

Trade Mark : PRIMAprangipani
Rating : Rating : Fire Propagation Index, I: 4.5
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 3.2 mm
Test Report No.: 2017FE0085 & 2017FE0086

Trade Mark : PRIMAlpha Weatherclad
Rating : Fire Propagation Index, I: 0.0
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 16.0 mm
Test Report No.: 2018FE0264, 2018FE0265

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 10 January 2003

Certified Since

Sah Sehingga : 10 January 2027

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 02 December 2025

Issue Date

No Siri : 120387

Serial No

SCHEDULE

SAINT-GOBAIN PRIMA SDN BHD



SIRIM

Trade Mark : PRIMAflex Matte Slate
Rating : Fire Propagation Index, I: 0.1
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 9.0 mm
Test report: 2017FE0005, 2017FE0006

Trade Mark : PRIMAflex Matte Ash
Rating : Fire Propagation Index, I: 0.3
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 9.0 mm
Test report: 2017FE0003, 2017FE0004

Trade Mark : PRIMAlpha Wet Floor
Rating : Fire Propagation Index, I: 0.5
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 19.0 mm
Test Report: 2018FE0253, 2018FE0254

Trade Mark : PRIMAp plank Timbergrain
Rating : Fire Propagation Index, I: 0.1, 0.0
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 7.5 mm ~ 12.0 mm
Test Report: 2018FE0441, 2018FE0442, 2018FE0439, 2018FE0440

Trade Mark : PRIMAp plank Timbergrain Laminated
Rating : Fire Propagation Index, I: 0.4
Surface Spread of Flame: CLASS ONE
Size : Nominal Thickness: 25.0 mm
Test Report: 2018FE0437, 2018FE0438

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 10 January 2003

Certified Since

Sah Sehingga : 10 January 2027

Valid Until

Tarikh Dikeluarkan : 02 December 2025

Issue Date

No Siri : 120387

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

SAINT-GOBAIN PRIMA SDN BHD

TEST REPORT NO. : 2013FE0101, 2013FE0102, 2013FE0103, 2013FE0104,
2013FE0105, 2013FE0106, 2012FE0082, 2012FE0083,
2012FE0147, 2012FE0148, 2012FE0149, 2012FE0150,
2012FE0151, 2012FE0152, 2012FE0153, 2012FE0154,
2012FE0155, 2012FE0156, 2013FE0097, 2013FE0098,
2013FE0099, 2013FE0100, 2013FE0464, 2013FE0465,
2013FE0466, 2013FE0467, 2013FE0468, 2013FE0469,
2013FE0470, 2013FE0471, 2017FE0011, 2017FE0012,
2017FE0013, 2017FE0014, 2017FE0015, 2017FE0016,
2017FE0003, 2017FE0004, 2017FE0005, 2017FE0006,
2017FE0087, 2017FE0088, 2017FE0091, 2017FE0092,
2017FE0093, 2017FE0094, 2017FE0086, 2017FE0085,
2017FE0083, 2017FE0084, 2018FE0235, 2018FE0236,
2018FE0240, 2018FE0241, 2018FE0251, 2018FE0252,
2018FE0253, 2018FE0254, 2018FE0260, 2018FE0261,
2018FE0263, 2018FE0264, 2018FE0265, 2018FE0266,
2018FE0437, 2018FE0438, 2018FE0439, 2018FE0440,
2018FE0441, 2018FE0442, 2018FE0443, 2018FE0444,
2019FE0069, 2019FE0070, 2019FE0071, 2019FE0072

End of page



SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 10 January 2003

Certified Since

Sah Sehingga : 10 January 2027

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 02 December 2025

Issue Date

No Siri : 120387

Serial No