



SIRIM QAS INTERNATIONAL SDN. BHD.

((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-003603
Licence No : PH000613

Date : 28/01/2026

SAINT-GOBAIN PRIMA SDN BHD
LOT 127220, KAWASAN PERUSAHAAN KANTHAN
31200 CHEMOR
PERAK, MALAYSIA

Attn : MS. FATIN AINA MARDIA MOHD PUZI

Tel No : 03-77811977
Fax No : -

Dear Sir/Madam,

Product Certification Licence

Product : CELLULOSE - CEMENT FLAT SHEET
Standard : ISO 8336 : 2009

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : NUR SAADAH BINTI KARIYA
Contact No : 6017-6979439
Email : nsaadah@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

SAINT-GOBAIN PRIMA SDN BHD
LOT 127220, KAWASAN PERUSAHAAN KANTHAN
31200 CHEMOR
PERAK, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

CELLULOSE - CEMENT FLAT SHEET

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

ISO 8336 : 2009



Ts. Md. Adha bin Katni @ Rahmat
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

SAINT-GOBAIN PRIMA SDN BHD



Trade Mark : PRIMA
Model : PRIMAflex
Rating : CATEGORY A CLASS 2 LEVEL II
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2440mm x 1220mm (THICKNESS: 3.5mm, 4.5mm)

Trade Mark : PRIMA
Model : PRIMAflex
Rating : CATEGORY A CLASS 2 LEVEL I
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2440mm x 1220mm (THICKNESS: 6.0mm, 7.5mm, 9.0mm, 12.0mm, 16.0mm, 18.0mm, 20.0mm,32.0mm)

Trade Mark : PRIMA
Model : PRIMAflex
Rating : CATEGORY B CLASS 2 LEVEL II
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 1220mm x 1220mm, 2440mm x 1220mm (THICKNESS: 3.2mm, 3.5mm, 4.5mm)

Trade Mark : PRIMA
Model : PRIMAflex
Rating : CATEGORY B CLASS 2 LEVEL I
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2440mm x 1220mm (THICKNESS: 6.0mm, 7.5mm, 9.0mm, 12.0mm, 16.0mm, 18.0mm, 20.0mm,32.0mm)

Trade Mark : PRIMA
Model : PRIMAflex
Rating : CATEGORY C CLASS 3 LEVEL II
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 1220mm x 1220mm, 2440mm x 1220mm (THICKNESS: 3.2mm, 3.5mm, 4.5mm)

Trade Mark : PRIMA
Model : PRIMAflex
Rating : CATEGORY C CLASS 3 LEVEL I
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2440mm x 1220mm (THICKNESS: 6.0mm, 7.5mm, 9.0mm, 12.0mm, 16.0mm, 18.0mm, 20.0mm,32.0mm)

SIRIM QAS International Sdn. Bhd.
((No. Syarikat 199601037981(410334-X)))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

www.sirim-qas.com.my
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 16 January 2004

Certified Since

Sah Sehingga : 16 January 2027

Valid Until

Tarikh Dikeluarkan : 28 January 2026

Issue Date

No Siri : 122888

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

SAINT-GOBAIN PRIMA SDN BHD



Trade Mark	: PRIMA
Model	: PRIMAliner
Rating	: CATEGORY A CLASS 2 LEVEL I
Type	: NON TEXTURED SHEETS
Size	: LENGTH AND WIDTH: 2400mm x 1200mm, 2440mm x 1220mm (THICKNESS: 4.5mm, 6.0mm, 7.5mm, 9.0mm, 12.0mm)
Trade Mark	: PRIMA
Model	: PRIMAliner
Rating	: CATEGORY B CLASS 2 LEVEL I
Type	: NON TEXTURED SHEETS
Size	: LENGTH AND WIDTH: 2400mm x 1200mm, 2440mm x 1220mm (THICKNESS: 4.5mm, 6.0mm, 7.5mm, 9.0mm, 12.0mm)
Trade Mark	: PRIMA
Model	: PRIMAliner
Rating	: CATEGORY C CLASS 3 LEVEL I
Type	: NON TEXTURED SHEETS
Size	: LENGTH AND WIDTH: 2400mm x 1200mm, 2440mm x 1220mm (THICKNESS: 4.5mm, 6.0mm, 7.5mm, 9.0mm, 12.0mm)
Trade Mark	: PRIMA
Model	: PRIMAp plank
Rating	: CATEGORY A CLASS 2 LEVEL II
Type	: NON TEXTURED SHEETS
Size	: LENGTH AND WIDTH: 3660mm x 300mm, 3660mm x 230mm, 3660mm x 150mm (THICKNESS: 7.5mm, 9.0mm, 12.0mm, 16.0mm, 25.0mm)
Trade Mark	: PRIMA
Model	: PRIMAp plank
Rating	: CATEGORY B CLASS 2 LEVEL II
Type	: NON TEXTURED SHEETS
Size	: LENGTH AND WIDTH: 3660mm x 300mm, 3660mm x 230mm, 3660mm x 150mm (THICKNESS: 7.5mm, 9.0mm, 12.0mm, 16.0mm, 25.0mm)
Trade Mark	: PRIMA
Model	: PRIMAp plank
Rating	: CATEGORY C CLASS 3 LEVEL II
Type	: NON TEXTURED SHEETS
Size	: LENGTH AND WIDTH: 3660mm x 300mm, 3660mm x 230mm, 3660mm x 150mm (THICKNESS: 7.5mm, 9.0mm, 12.0mm, 16.0mm, 25.0mm)

SCHEDULE

SAINT-GOBAIN PRIMA SDN BHD



SIRIM

Trade Mark : PRIMA
Model : PRIMAraya
Rating : CATEGORY C CLASS 3 LEVEL II
Type : TEXTURED SHEETS
Size : LENGTH AND WIDTH: 1220mm x 1220mm (THICKNESS: 3.2mm)

Trade Mark : PRIMA
Model : PRIMArangipani
Rating : CATEGORY C CLASS 3 LEVEL II
Type : TEXTURED SHEETS
Size : LENGTH AND WIDTH: 1220mm x 1220mm (THICKNESS: 3.2mm)

Trade Mark : PRIMA
Model : PRIMAflex Slate
Rating : CATEGORY A CLASS 2 LEVEL I
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2430mm x 1210mm (THICKNESS: 9.0mm)

Trade Mark : PRIMA
Model : PRIMAflex Slate
Rating : CATEGORY B CLASS 2 LEVEL I
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2430mm x 1210mm (THICKNESS: 9.0mm)

Trade Mark : PRIMA
Model : PRIMAflex Slate
Rating : CATEGORY C CLASS 3 LEVEL I
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2430mm x 1210mm (THICKNESS: 9.0mm)

Trade Mark : PRIMA
Model : PRIMAflex Ash
Rating : CATEGORY A CLASS 2 LEVEL I
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2430mm x 1210mm (THICKNESS: 9.0mm)

SCHEDULE

SAINT-GOBAIN PRIMA SDN BHD



SIRIM

Trade Mark : PRIMA
Model : PRIMAflex Ash
Rating : CATEGORY B CLASS 2 LEVEL I
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2430mm x 1210mm (THICKNESS: 9.0mm)

Trade Mark : PRIMA
Model : PRIMAflex Ash
Rating : CATEGORY C CLASS 3 LEVEL I
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2430mm x 1210mm (THICKNESS: 9.0mm)

End of page
